


INNOVATION



PATENTED

The new bag in-feed device offers maximum production and flexibility in a compact modular construction. Robust, modular add-ons available, conceived for maximum reliability.

Your best choice for multiple applications with only one bag in-feed device.

TOP FEATURES:

- Basic modular bag in-feeds F(S), FB(S)39905A
- Robust design, prepared for add-ons
- Customized add-ons available
 - Knife block 39966 for trimming bag opening
 - Quick change of bag top fold-over device 93051R
 - Crepe tape folder
- No tools required for change of modules
- No storage required for add-ons
- Add-ons can be swung-out respectively disconnected
- Extremely short setting-up times
- Rubber-coated conveying chains to protect the bag material
- Protection class: IP55, insulation class: F
- Paint: RAL9002 powder coated
- Rust-protected parts
- Delivery includes feeler assembly 29926A for starting the sewing machine

● **ROBUST**

● **RELIABLE**

● **EFFICIENT**

Reliability and flexibility

The growing number of applications in bag closing increase the demand for reliability and flexibility. The bag in-feed device is crucial, safely and reliably feeding the prepared bags in various ways into the sewing machine. The Union Special in-feed device was developed for application in the latest industrial surroundings and is setting new standards. Robust, modular add-ons conceived for highest reliability.


The **basic in-feed modules F(S), FB(S)39905A** with **knife block 39966**: You can either trim the upper bag opening or feed the bag into the sewing machine with only one feed-in device - short setting times depending on application.

The knife block 39966 for trimming bag openings operates without individual power supply. Depending on application the knife block is set into an active respectively nactive position. No tools required for change of position.

Part. No.	for Machine Styles	Description
FB39930A	BC211/BCE311	Modular bag feed-in device V-type (V), long bag in-feed. Feed-in depending on operation with or without trimming device for bag opening. Frequency controlled speed 11-23m/min. Voltage for motor 230V, 1 phase 50 Hz.
FBS39930A	BC211/BCE311	Same as FB39930A, but parallel (II) long bag in-feed.
F39930A	BC211/BCE311	Same as FB39930A, V-type (V) , but short version.
FS39930A	BC211/BCE311	Same as FB39930A, but parallel (II) bag in-feed and short version.

Accessories for Bag Feed-in Devices

93051R		Bag-top fold-over device to fold the bag top to the rear. Short setting-up times. For all kinds of self-supporting bags. Performance test of bag material recommended.
A8853A60		Crepe tape folder 60mm (further widths on request)
A8853A		Tape folder bracket
99627M		Bracket for bag feed-in



Quality Made in Germany

The modular design of the bag feed-in device was created in Germany with our own knowhow. Development and production „**Made in Germany**“ significantly add to our finest quality.

Subject to change without notice © Union Special GmbH